

<b>Notice of Allowability</b>	Application No.	Applicant(s)	
	10/604,475	JONSSON, BERTIL	
	Examiner Ehud Gartenberg	Art Unit 3746	

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address--

All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. **THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS.** This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.

1.  This communication is responsive to 7/24/2003.
2.  The allowed claim(s) is/are 1-9.
3.  The drawings filed on \_\_\_\_\_ are accepted by the Examiner.
4.  Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
  - a)  All      b)  Some\*      c)  None      of the:
    1.  Certified copies of the priority documents have been received.
    2.  Certified copies of the priority documents have been received in Application No. \_\_\_\_\_.
    3.  Copies of the certified copies of the priority documents have been received in this national stage application from the International Bureau (PCT Rule 17.2(a)).

\* Certified copies not received: \_\_\_\_\_.

Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application.  
**THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.**

5.  A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.
6.  CORRECTED DRAWINGS ( as "replacement sheets") must be submitted.
  - (a)  including changes required by the Notice of Draftsperson's Patent Drawing Review ( PTO-948) attached.
    - 1)  hereto or 2)  to Paper No./Mail Date \_\_\_\_\_.
  - (b)  including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date \_\_\_\_\_.
7.  DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.

#### Attachment(s)

1.  Notice of References Cited (PTO-892)
2.  Notice of Draftsperson's Patent Drawing Review (PTO-948)
3.  Information Disclosure Statements (PTO-1449 or PTO/SB/08),  
Paper No./Mail Date 8/28/2003
4.  Examiner's Comment Regarding Requirement for Deposit  
of Biological Material
5.  Notice of Informal Patent Application (PTO-152)
6.  Interview Summary (PTO-413),  
Paper No./Mail Date \_\_\_\_\_.
7.  Examiner's Amendment/Comment
8.  Examiner's Statement of Reasons for Allowance
9.  Other \_\_\_\_\_.

**EXAMINER'S AMENDMENT**

1. An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.

The application has been amended to correct an obvious and minor typographical error, see description, paragraph 19, II. 5-9 for support.

In claim 6, I. 4, "is at least is less than" has been changed to -- is at least less than --.

In claim 7, I. 4, "is at least is less than" has been changed to -- is at least less than --.

Figure 2 has been selected by the Examiner to be printed on the face of the patent. It has been amended as per the attached drawing to make the claimed invention readily apparent.

***Drawings***

2. New corrected drawings in compliance with 37 CFR 1.121(d) are required in this application because the Examiner amended Figure 2, and the draft person objected to the drawings as they have been filed. Applicant is advised to employ the services of a competent patent draftsperson outside the Office, as the U.S. Patent and Trademark Office no longer prepares new drawings. The corrected drawings are required in reply to the Office action to avoid abandonment of the application. The requirement for corrected drawings will not be held in abeyance.

***Allowable Subject Matter***

3. Claims 1-9 are allowed.
4. The following is an examiner's statement of reasons for allowance: prior art does not teach in combination with the other limitations of the independent claims the apparatus and the method of using it wherein from start-up throughout an intermediate and full load of a combustion chamber, the pilot burner first and the main burner thereafter are fueled through a first valve, and during said intermediate and full load of the combustion chamber the pilot is fueled only through a second valve of a substantially lower flow capacity than the first valve.
5. Note that in US Patent 5311742 to Izumi, even if the fixed orifice 27 would have been replaced with a valve, the present independent claims would still not read on Fig. 1, because valve 25 for the main and valve 26 for the pilot are distinct from each other, and valve 14 turns on/off all three valves. Regarding WO 01/839965 note that throttling valve 9 both precedes and follows the activation of pilot valve 5, and valve 5 does not feed the main burners.

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."


***Conclusion***

6. The prior art made of record and not relied upon is considered pertinent to applicant's disclosure. Marshall 5402634, Eroglu 2004/0088996, Hoffman 6425239, Onoda 6330789.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Ehud Gartenberg whose telephone number is 571 272 4828. The examiner can normally be reached on Monday-Thursday.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Cheryl Tyler can be reached on 571 272 4834. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).



Ehud Gartenberg  
Primary Examiner  
Art Unit 3746

02082005